




WE KNOW TRAILERS BETTER



| Container Trailers | Cargo Trailers | Low-bed Trailers | Tanker trailers |  
| Tipper trailers | Trucks for logistics and construction |



**CIMC (Shandong) international Co., Limited**

 **Add: Quanpu Industrial Park, Liangshan County,  
Jining City, Shandong Province**

 **Tel: +86 182 0541 3661**

 **Email: [info@cimc-intl.com](mailto:info@cimc-intl.com)**



## Company introduction

CIMC (Shandong) international Co., Limited was established by integrating the technology, manufacturing process, products, supporting facilities and other resources of CIMC group and other leading trailer manufacturers in China, including Qingdao CIMC Special Vehicles Co., Ltd, Liangshan CIMC Dongyue Vehicle Co., LTD, Dongguan CIMC vehicle Co., Ltd, Shandong Baohua Resistant Steel Co., Ltd and so on.. Specially set up for export, focuses on "providing overseas customers with higher-end trailers and more professional transportation solutions".

Our production bases are mainly located in Shandong, The technology, procurement, and quality control, quality control system is strictly implemented in accordance with the standards and requirements of CIMC Vehicle Group. We have advanced production equipment such as domestic first-class laser CNC cutting machines, automatic welding machines, stamping machines, splicing machines, electrophoresis, coating lines, paint baking rooms, and catalytic combustion equipment, as well as a complete quality assurance system, modern testing methods, and high-quality professional technical personnel.

**Customers include: SHEEL, BP, TOTAL, DANTOTE, CIMAF, PETRONAS LAG etc. OLA energy, OIL COM etc.**

**Qualifications include: ADR, ASME, TRASNPOT CANADA CERTIFICATION, FRANCE BV, POLAND TDT, BELGIUMAPRGAZ,CCS, etc.**

### MINIMUM AND MAXIMUM

We are ready to offer you a better TCO (total cost of ownership) with higher reliability, larger capacity, less fuel consumption, lower maintenance cost to minimize the operation costs and maximize the uptime.



# Our customers in the world





# Certificates



**QUALITY MANAGEMENT SYSTEM CERTIFICATE**

Registration No. 0350123Q30170R0S

This is to certify that the quality management system of **Shandong Goldcinc Intelligent Auto Co., Ltd**  
No. 226, Ruichang Road, Shibei District, Qingdao, P.R. China  
Social Credit Code: 91370203MA94M3TF21

is in conformity with  
GB/T 19001-2016 / ISO 9001:2015 Standard

This certificate is valid to the following product(s)  
**Design and sales service of semi-trailer (special vehicle).**

Date of issue: February 27, 2023  
Date of expiry at most: February 26, 2026

Representative: *Wang Honglin*

XINGYUAN CERTIFICATION CENTRE CO., LTD. (XGCG)  
FOR CERTIFICATE  
37FL, Tower 1, Zhongguo Plaza, No. 9  
Shangdi 3 St., Haidian, Beijing



 中国认可  
国际互认  
管理体系  
MANAGEMENT SYSTEM  
CNAS C035-M

NOTE: This certificate shall be maintained by regular surveillance audit.  
The validity of the certificate can be verified by scanning QR code.  
The information of the certificate can be available in <http://www.cnca.gov.cn>,  
the website of CNCA, and in our website <http://www.xgcc.com.cn>.



**质量管理体系认证证书**

注册号: 0350123Q30170R0S

兹 证 明  
**山东中航昊沃智能装备有限公司**  
注册地址: 山东省青岛市市北区瑞昌路226号901户  
统一社会信用代码: 91370203MA94M3TF21

管理体系符合  
GB/T 19001-2016 / ISO 9001:2015 标准

该管理体系适用于  
**半挂车(专用车)的设计和售后服务\*\*\***

颁证日期: 2023年2月27日  
有效期最长可至: 2026年2月26日

签发人: *王宏林*

兴源认证中心有限公司  
证书专用章  
(北京市海润会议中心10层1009室(6层下))



 中国认可  
国际互认  
管理体系  
MANAGEMENT SYSTEM  
CNAS C035-M

注: 在证书有效期内, 获证组织应按标准规定接受年度监督审核, 以保持证书资格, 通过扫描二维码可获知证书的有效性状态。该证书信息还可在国家认证认可监督管理委员会官方网站 ([www.cnca.gov.cn](http://www.cnca.gov.cn)) 和兴源认证中心有限公司官方网站 ([www.xgcc.com.cn](http://www.xgcc.com.cn)) 上查询。



**QUALITY MANAGEMENT SYSTEM CERTIFICATE**

Certificate No. 00118Q38225R3M/4200

We hereby certify that  
**CIMC (Shandong) International Co., Limited**  
Unified Social Credit Code: 914213007391341978

No. 1128 Jiaotong Avenue, Suizhou City, Hubei Province, China

by reason of its  
**Quality Management System**  
has been awarded this certificate for compliance with the standard  
GB/T 19001-2016 / ISO 9001:2015

The Quality Management System Applies in the following area:  
Design, Production and technology Service of qualified special trucks, special vehicles, general semi trailers, special purpose vehicle, tank trucks

Certified since: October 13, 2009 Valid from: August 8, 2018 Valid until: September 21, 2021

After a surveillance cycle, the certificate is valid only when used together with an Acceptance Notice of Surveillance Audit issued by CQC.  
Please access [www.cqc.com.cn](http://www.cqc.com.cn) for checking validity of the certificate.  
This certificate and its relevant information can query in the website of Certification and Accreditation Administration of the People's Republic of China ([www.cnca.gov.cn](http://www.cnca.gov.cn)).



 中国认可  
国际互认  
管理体系  
MANAGEMENT SYSTEM  
CNAS C035-M  
Signed by: *Yang Ruijin*


**CHINA QUALITY CERTIFICATION CENTRE**  
Section 9, No. 188, Nanshan Road (South Fourth Ring Road) Xijie West Road, Beijing 100070, China  
<http://www.cqc.com.cn>

Q 0119639 2015年版



**中国强制性产品认证证书**

证书编号: 2013011101613263 版本: 10

委托人名称、地址  
中国重汽集团湖北华威专用汽车有限公司  
随州市交通大道1128号

生产者(制造商)名称、地址  
**中集东岳车辆有限公司**

生产企业名称、地址  
**中集东岳车辆有限公司**

产品名称和系列、规格、型号  
自卸式垃圾车/压缩式垃圾车/垃圾转运车  
SGZ2502Y5Z23T5/GZ252502LJZ25W38/GZ252502LJZ25W41/GZ25252LJZ25/GZ252502LJZ25.7/GZ2525  
12LJZ25W38/GZ252502LJZ25W43/GZ252502LJH5/GZ252502LJZ25T8/GZ252502LJZ25T5/GZ252502LJZ25  
T7/GZ25251T2LZ26T7/GZ252502LJZ25N5/GZ252502LJZ26W.

产品标准和技术要求  
CNCA-C11-01:2014

上述产品符合强制性产品认证实施规则CNCA-C11-01:2014的要求, 特发此证。

发证日期: 2019年11月04日 有效期至: 2023年05月30日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。  
本证书涉及的认证标准和零部件认证实施规则等信息见附件。  
本证书为变更证书, 证书首次颁发日期: 2013年05月07日  
本证书的相关信息可通过国家认监委网站 [www.cnca.gov.cn](http://www.cnca.gov.cn) 查询


 主任: *陆楠*


**中国质量认证中心**

<http://www.cqc.com.cn> 中国·北京·南四环西路188号9A 100070 电话: +86 10 83886666

Q 2406170

## Best Selling container trailers



3 axles flatbed semi trailer



4 axles flatbed semi trailer

## Other Container trailers



Tri-axle Steel coil transport trailer



B-double platform semi-trailer



40ft Three axle skeleton chassis

### Basic specifications

Axles brand: BPW, FUWA  
Suspension: Mechanical / air  
suspension for first axle of 4 axles model  
Landing gear: JOST brand  
Tire: 315/80R22.5; 13R22.5; 12R22.5



## Best selling tipper trailers



3 axles tipper semi trailer



4 axles tipper trailer

## Other designing models



5 axles tipper trailer



6 axles tipper semi trailers

### Basic specifications

Axles brand: BPW, FUWA

Suspension: Mechanical / air suspension for first axle of 4 axles model

Landing gear: JOST brand

Tire: 315/80R22.5; 13R22.5;

Box material: wear-resistant steel

Lifting system: HYVA brand

## Best selling low – bed trailers



Four axles low bed trailers, 70-80ton



Three axles low bed trailer, 50-60ton

---

## Other low–bed trailers:



Two line four axle low-bed semi-trailer



Three line six axle low-bed trailer



Low bed trailer with dolly



Four axle Extensible low-bed semi-trailer

### Basic specifications

Axles brand: BPW, FUWA

Suspension: Mechanical / air suspension for first axle of 4 axles model

Landing gear: JOST brand

Tire: 11.00R20, 12.00R20 315/80R22.5; 13R22.5;

Ramp: Mechanical spring ramp or hydraulic ramp

## Best selling tanker trailers



Three axles tank trailer



Four axles tank trailer



Three axles aluminum tanker

---

## Other tankertrailers



LPG tanker trailer



Bulk cement transport semi-trailer



Three axle asphalt transportation semi trailer

### Basic specifications

Tank volume: 30 000L - 60 000L

Axles brand: BPW, FUWA

Suspension: Mechanical / air suspension for first axle of 4 axles model

Landing gear: JOST brand

Tire: 315/80R22.5; 13R22.5;



## Best selling cargo and fence trailers



3 axles cargo semi trailer



4 axles fence semi trailer

---

## Other cargo trailers



Tri-Axle Refrigerated Semi-Trailer



Curtain sider



Express van trailer

### Basic specifications

Loading capacity: 50ton -80ton

Axles brand: BPW, FUWA

Suspension: Mechanical / air suspension for first axle of 4 axles model

Landing gear: JOST brand

Tire: 315/80R22.5; 13R22.5;

## Special equipments for terminal service



**Yard chassis**



**Yard chassis**



**Yard chassis**



**Yard chassis**



**Yard chassis**



**Yard chassis**

### The characteristics of the product

#### Special equipments for terminal service

The Yard trailer is designed and manufactured to transport 1x20', 2x20', 1x40' and 1x45' ISO containers with customized Specifications to suit different terminals. Rich experience for manufacturing special equipment for terminal service supplied many famous companies. The Roller trailer is designed for use in stevedoring and transporting 1x4' off or 2x2' off and 1x45' ISO containers or loose cargo or big non knocked-down goods on Ro-Ro vessels or within terminal areas.

## Best selling trucks



**HOWO tractor truck**



**Hohan tractor truck**



**Concrete mixer truck -12CBM**



**6X4 HOWO dump truck**



**6x4 Hohan dump truck**



**8x4 HOWO dump truck**



**6X4 fuel tanker truck**




**8X4 Howo water tanker truck**



**Crane truck**



# Trucks spare parts



Cylinder Head Gasket



Engine Fan Belt



Alternator



fuel filter



Oil Pump Assembly




Air filter



Exhaust Pipe



Clutch Plate



Cylinder head cover gasket



Oil filter



Engine



Radiator Assembly



Fuel Level Sensor



expansion water tank assembly



Front wheel oil seal



Roller Bearing



Turbo charger



clutch pressure plate

## Cheng Shan brand tires



### AAH167A

Size	PR	Measure Rim
12R22.5	18PR	9.00
12R22.5	12PR	9.00
315/80R22.5	20PR	9.00



### AT112

Size	PR	Measure Rim
315/80R22.5	18PR	9.00



### AT56

Size	PR	Measure Rim
10R22.5	16PR	7.50
13R22.5	18PR	9.75



### AT121

Size	PR	Measure Rim
12R22.5	18PR	9.00
295/80R22.5	18PR	9.00
315/80R22.5	18PR	9.00
315/80R22.5	20PR	9.00
*265/70R19.5	18PR	7.50



### AAH157

Size	PR	Measure Rim
12R22.5	18PR	9.00



### AT101

Size	PR	Measure Rim
12.00R20	18PR	8.50

### The characteristics of the product

1. Optimized profile to improve wear performance.
2. Optimized material layout to improve uneven wear.
3. To reduce heat generation and upgrade durability.



## **CIMC (Shandong) international Co., Limited**

 **Add: Quanpu Industrial Park, Liangshan County,  
Jining City, Shandong Province**

 **Tel: +86 182 0541 3661**

 **Email: [info@cimc-intl.com](mailto:info@cimc-intl.com)**